
CELLS AND SIMPLE CIRCUITS

- 1.
- A: Manganese IV Oxide mixed with carbon;
- B: Ammonium chloride solution; (2mks)
- 2. Dry cells uses paste electrolyte while wet cells uses solution of an electrolyte; (1mk)
- 3. A secondary battery is capable of being recharged; its electrode reactions can proceed in either direction. [1m]

A primary cell, cannot be recharged with any efficiency, so the amount of energy it can deliver is limited to that obtainable

from the reactants that were placed in it at the time of manufacture.[1m]

4. (a)



(i)

battery
$$- \vdash$$
 or $- \vdash \vdash$ or $- \vdash \vdash \vdash$

series circuit; (-1 for obvious gaps, more than 1mm) only acceptable addition in parallel is a voltmeter. ignore extras correct symbols;; (-1 for incorrect symbol or omission) up to max 2. [only penalise lamp once, ignore extras]

[if connected]

- (ii) thermal;
- (b) (i) fan rotates / works / blows / (heater off) cold air given out / / cold air blown out;
 - (ii) no current in the circuit / nothing / no effect;
 - (iii) fan rotates / works / blows and the heater is on/ hot air given out / both work / hot air is blown out;

[7]

3

1


3

1

5.

(a) (i) circuit is broken/not complete/gap in circuit/connection broken/no current in circuit;
[Ignore because they are in series]

www.kcpe-kcse.com Page 1



www.kcpe-kcse.com Page 2

off 🗸

off

if all three answers are correct, award two marks

if two answers are correct, award one mark if more than one box is ticked for any circuit, award no credit for that circuit

[4]

www.kcpe-kcse.com Page 3