

FORM 4 HOMESCIENCE EXAM END TERM 2 2024

441/2 PAPER 2 MARKING SCHEME

	ACTIVITY	SCORE	Maximum score
1	PRESENTATION		
a) 🚪	Work well pressed (1) and folded (½)	1 1/2	
b) =	Label (½) firmly stitched (1) without concealing details (½) and	2 1/2	
Ž(P.	on a single fabric (½)		
c) =	Pins/needles (1/2) and unnecessary tacking threads (1/2) and loose	1 1/2	
her	threads (1/2) removed		
d)	Made up for the Right half 1	1	
1//		6 1/2	
2	CUTTING OUT		
a) =	All eight pieces (½ x8) cut out	4	
b) 📒	Smooth cutting of the C.B on dress (2) and cut on straight grain to		
JJ S	within 2 mm (1)	3	
c) -	Smooth cutting of the dress lower edge front (1) and back (1)	2	
d) 🖁	Smooth cutting of the sleeve edge (1)	1	
e) 📒	Sleeve strip cut on grain (1)	1	
f)	Smooth cutting of collar C.B. (½ x 2) and out on grain(½ x2)	2	
7			
the		13	
3	NECK DART		
a) 🦻	Straight stitchery (1) of dart and tapering to nothing (½)	11/2	
b) -	Stitchery fastened at the point	1/2	
c) 🚡	Correct length of the dart 8 cm	1	
d) =	Correct width of dart 0.7cm	1	
e) 💍	Pressed towards C.B	1	
f)	Flatness of dart on W.S ($\frac{1}{2}$) and R.S ($\frac{1}{2}$)	1	
		6	
4	POCKET		
a)	Preparation of pocket mouth 1 even hem (½) and straight stitchery ½	2	
b)	Pocket turning well tucked (½ x3) under evenly trimmed(½ x3) and		
	snipped ½ at the base	3 ½	
c)	Pocket fixed with straight stitches (1 x 3) and close to the edge ($\frac{1}{2}$		
	x 3)	4 1/2	
d)	Pocket reinforced at the mouth corners (½ x2)	1	
e)	Correct positioning of the pocket1	1	
f)	Correct size 1 and correct shape 1	2	
g)	Flatness of pocket on RS ½ and WS ½	1	
		15	
5	SHOULDER SEAM – OPEN SEAM (if not OPEN SEAM		
	award zero (0)		
a)	Joined with straight stitchery	1	8
b)	Raw edges well neatened (1x2)	2	
c)	Evenness of seam allowance	1	
d)	Correct size of seam allowance 1cm (1 X 2)	2	



	Seam pressed $\frac{1}{2}$ open $\frac{1}{2}$ and flat at the neck edge $\frac{1}{2}$ and shoulder(1/2)	2
	, ,	2
6	SIDE SEAMS – OPEN SEAM	
	(if not open seam award zero (0)	
a)	joined with straight stitchery	1
b)	Raw edges well neatened (1x2)	2
c)	Evenness of seam allowance	1
d) -	Correct size of seam allowance 1cm	1
e)	Seam pressed open and flat at the arm hole (1) and waist (1)	2
cher		7
7 📮	NECK FACING	
a)	Back and front facing joined with straight stitches (½)	1/2
b)	Seam trimmed (½)pressed open (½)and unneatened (½)	1 ½
c)	Free edge of facing well neatened(2) and held down ½ at shoulder	
s fro	seamline(½)	3
- Eira		6
8.	COLLAR	
a) 🔚	Smooth stitchery of outer edge of collar (mark by impression)	1
b) 🖺	Collar seam trimmed (1) and snipped (1) with sharp point ½	2 ½
c)	Well knife-edged collar	1
d) 🖥	Collar attached by sandwiching in the dress and facing	1
e)	Quality of attaching stitchery (mark by impression on R.S)	1
f) 💆	Attaching seam trimmed (1) and snipped (1)	2
g) =	Evenness of the facing	1
h) 🚪	Correct positioning of collar i.e. C.F on collar flash with C.F. of	
M	bodice (1/2) and C.B of collar flash with CB of dress (1/2)	1
i) 🔓	Correct size (1) to and correct shape (1) (superimpose pattern)	2
j)	CB of facing and CB of dress flash	1/2
	•	13
9	CONTINOUS WRAP OPENING (if not continuous wrap	
	award zero	
a)	Quality of the attaching stitches (½ x 2)	1
b)	Quality of the neatening of the strip on the WS raw edges well	
	tucked under (½ x 2)	1
c)	Well fixed with hemming stitches (½ x 2)	1
d)	Folding of the back strip to WS ½ and backstitching at the base ½	1
e)	Evenness of the strip (1)	1
f)	Correct size of opening 8cm (½ x 2)	1
		6
10.	UNDERARM SEAM – FRENCH SEAM If not french seam award zero	
a)	Seam made before sleeve is attached	1/2
b)	Straight stitchery of seam	1/2
c)	Seam well trimmed no threads on RS	$\begin{vmatrix} 72 \\ 1 \end{vmatrix}$



d)	Seam well knife edged	1	
e)	Evenness of the seam	1	
f)	Correct size 6mm to within 2mm (4-8mm)	1	
g)	Seam pressed towards the back of the armhole	1/2	
h)	Flatness of seam at armhole RS and WS	1	
i)	Side seam and underarm seam meeting	1/2	
00		7	
11	SLEEVE		
a)	Good hang (2)	2	
b) [Gathers well distributed (1) at the crown (1)	2	
c)	Armhole seam made with smooth stitchery (1)	1	
d) 7	Correct positioning of the sleeve i.e. back to back (1) front to front	2	
140	(1)		
e)	Notches match at the armhole seam (1x2)	2	
f)	Underarm seam meeting with side seam	1	
Ĭ		10	
1	GRAND TOTAL	90/2 = 45	

